

COAXIAL ADAPTER

3.5mm To 2.9mm Precision Series

Features

- ✓ Frequency up to 33GHz
- ✓ Stainless design with rigid construction
- ✓ Lower VSWR, Higher Performance.




Specifications


| | |
|--|---|
| PART NUMBER | MVE1212 |
| DESCRIPTION | 3.5mm Female To 2.9mm Male , 33GHz Adapter / Stainless |
| ELECTRICAL | MATERIALS |
| FREQUENCY : DC-33GHz IMPEDANCE: 50OHM WORKING VOLTAGE: 335Vrms MAX. DIELECTRIC WITHSTANDING VOLTAGE: 750Vrms MAX. VSWR: 1.15:1 MAX | BODY: STAINLESS STEEL CONTACT: BERYLLIUM COPPER, GOLD PLATED INSULATOR: PEI |

TOLERANCE UNLESS OTHERWISE SPECIFIED: .X: ±0.20 [.008"]; .XX: ±0.10 [.004"]

Outline Drawing (Unit:mm)



Typical Test Report



NOTES:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

